Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	216	(712/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 10:32
L2	253	(712/222).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 10:32
L3	149	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 12:58
L4	0	(compar$3) near4 ((four or "4") adj2 (state$1 or result$1)) near4 (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:05
L5	0	(compar$3) near4 ((four or "4") adj2 (state$1 or result$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:05
L6	0	(compar$3) near4 ((four or "4") near4 (state$1 or result$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:17
L7	3	((four or "4") near4 (state$1 or result$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:12
L8	13	((four or "4") with (state$1 or result$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:15
L9	33	((four or "4") with (state$1 or result$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:15
L10	0	(compar$3) with ((four or "4") near4 (state$1 or result$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18
L11	2	(compar$3) with ((four or "4") with (state$1 or result$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18
L12	3	(compar$3) with ((four or "4") with (state$1 or result$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18

L13	3	(compar$3) same ((four or "4") with (state$1 or result$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18
L14	11	(compar$3) same ((four or "4") same (state$1 or result$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:20
L15	0	((compar$3) same ((four or "4") same (state$1 or result$1)) same (logic near4 tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:20
L16	8	((compar$3) and ((four or "4") and (state$1 or result$1)) and (logic near4 tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:20
L17	20	(compar$3) same ((four or "4") same (state$1 or result$1)) same (logic with tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:34
L18	1	((compar$3) same ((four or "4") same (state$1 or result$1)) same (logic with tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:37
L19	1	(((four or "4") with (state$1 or result$1)) same (logic near4 tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:38
S1	241	(712/222).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/24 08:46
S2	197	(712/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/24 08:46
S3	139	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/24 08:46
S4	244	(712/222).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 14:06
S5	207	(712/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 14:06
S6	141	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 14:19

S7	1	("5939986").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:17
S8	1	("5838986").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:17
S9	44757	(comparison or (logic$4 near4 test$3)) near4 (value$1 or data or result$1) near4 (state$1 or set$5 or value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:35
S10	19255	(comparison or (logic$4 near4 test$3)) near4 (data or result$1) near4 (state$1 or set$5 or value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:32
S11	14334	(comparison or (logic$4 near4 test$3)) near4 (data or result$1 or value$1) near4 (state$1 or set$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S12	3470	(comparison or (logic$4 near4 test$3)) near4 (data or result$1 or value$1) near4 (state$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S13	3228	(comparison) near4 (data or result$1 or value$1) near4 (state$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S14	947	(comparison) near4 (value$1) near4 (state$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S15	4	(comparison) near4 (value$1) near4 (state$1) near4 (multiple or plural or (more adj2 one))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:34
S16	286	(comparison or (logic$4 near4 test$3)) near4 (value$1 or data or result$1) near4 (state$1 or set$5 or value) near4 (multiple or plural or (more adj2 one))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:35
S17	12	((logic$4 near4 test$3)) near4 (value$1 or data or result$1) near4 (state$1 or set$5 or value) near4 (multiple or plural or (more adj2 one))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:37
S18	12	((logic$4 near4 test$3) near4 (multiple or plural or (more adj2 one))) near4 (value$1 or data or result$1) near4 (state$1 or set$5 or value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:38

Welcome United States Patent and Trademark Office

:⊡:Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Mon, 12 Dec 2005, 1:48:30 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Run Search   Reset

Recent Search Queries

Results

#1 (((compare <or> comparing <or> compares <or> comparison <or> comparisons) <sentence> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <sentence> (logic <sentence> tests))<in>metadata)

(

#2 (((compare <or> comparing <or> compares <or> comparison <or> comparisons) <paragraph> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)

⌐

#3 (((compare <or> comparing <or> compares <or> comparison <or> comparisons) <paragraph> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)

⌐

#4 (((compare <or> comparing <or> compares <or> comparison <or> comparisons) <paragraph> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)

⌐

#5 ((((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)

81

Clear Session History

Indexed by
Inspec